


# Ecuador, Quito (2003-2007)

Average annual person-years



## Ecuador, Quito (2003-2007)

SITE	Male						Female						ICD-10
	§No. cases	Freq. (%)	Crude rate (per 100,000)	ASR world	Cum. rates 0-64 0-74 (percent)		§No. cases	Freq. (%)	Crude rate (per 100,000)	ASR world	Cum. rates 0-64 0-74 (percent)		
Lip	0	0.0	0.0	<b>0.0</b>	0.00	0.00	4	0.1	0.1	<b>0.1</b>	0.01	0.01	C00
Tongue	13	0.2	0.4	<b>0.4</b>	0.02	0.04	26	0.4	0.7	<b>0.6</b>	0.03	0.07	C01-02
Mouth	8	0.1	0.2	<b>0.3</b>	0.02	0.03	19	0.3	0.5	<b>0.5</b>	0.04	0.05	C03-06
Salivary glands	17	0.3	0.5	<b>0.5</b>	0.03	0.04	26	0.4	0.7	<b>0.7</b>	0.04	0.08	C07-08
Tonsil	6	0.1	0.2	<b>0.2</b>	0.01	0.04	3	0.0	0.1	<b>0.1</b>	0.01	0.01	C09
Other oropharynx	1	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C10
Nasopharynx	6	0.1	0.2	<b>0.2</b>	0.01	0.03	1	0.0	0.0	<b>0.0</b>	0.00	0.00	C11
Hypopharynx	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C12-13
Pharynx unspecified	5	0.1	0.1	<b>0.1</b>	0.01	0.01	2	0.0	0.1	<b>0.1</b>	0.00	0.01	C14
Oesophagus	71	1.3	1.9	<b>2.2</b>	0.07	0.21	23	0.3	0.6	<b>0.7</b>	0.03	0.08	C15
Stomach	712	13.1	19.4	<b>23.7</b>	1.11	2.56	580	8.6	14.7	<b>15.0</b>	0.62	1.67	C16
Small intestine	25	0.5	0.7	<b>0.8</b>	0.05	0.08	34	0.5	0.9	<b>0.9</b>	0.04	0.07	C17
Colon	223	4.1	6.1	<b>7.3</b>	0.35	0.80	286	4.2	7.3	<b>7.8</b>	0.41	0.87	C18
Rectum	112	2.1	3.1	<b>4.0</b>	0.23	0.45	111	1.6	2.8	<b>2.9</b>	0.16	0.28	C19-20
Anus	5	0.1	0.1	<b>0.2</b>	0.00	0.02	25	0.4	0.6	<b>0.7</b>	0.03	0.08	C21
Liver	140	2.6	3.8	<b>4.8</b>	0.20	0.55	142	2.1	3.6	<b>3.7</b>	0.14	0.40	C22
Gallbladder etc.	129	2.4	3.5	<b>4.6</b>	0.25	0.51	266	3.9	6.8	<b>7.7</b>	0.40	0.94	C23-24
Pancreas	90	1.7	2.5	<b>3.1</b>	0.12	0.37	137	2.0	3.5	<b>3.7</b>	0.16	0.43	C25
Nose, sinuses etc.	15	0.3	0.4	<b>0.5</b>	0.03	0.06	18	0.3	0.5	<b>0.4</b>	0.03	0.04	C30-31
Larynx	35	0.6	1.0	<b>1.2</b>	0.06	0.14	8	0.1	0.2	<b>0.2</b>	0.02	0.03	C32
Trachea, bronchus and lung	241	4.4	6.6	<b>8.3</b>	0.37	1.03	217	3.2	5.5	<b>6.2</b>	0.36	0.71	C33-34
Other thoracic organs	14	0.3	0.4	<b>0.4</b>	0.02	0.04	3	0.0	0.1	<b>0.1</b>	0.00	0.01	C37-38
Bone	44	0.8	1.2	<b>1.2</b>	0.07	0.12	45	0.7	1.1	<b>1.2</b>	0.07	0.11	C40-41
Melanoma of skin	105	1.9	2.9	<b>3.6</b>	0.17	0.43	138	2.0	3.5	<b>3.9</b>	0.24	0.44	C43
Other skin	1200		32.7	<b>41.0</b>	2.00	4.85	1303		33.1	<b>34.4</b>	1.61	3.66	C44
Mesothelioma	9	0.2	0.2	<b>0.3</b>	0.01	0.04	4	0.1	0.1	<b>0.1</b>	0.01	0.01	C45
Kaposi sarcoma	29	0.5	0.8	<b>0.8</b>	0.06	0.06	2	0.0	0.1	<b>0.1</b>	0.01	0.01	C46
Connective and soft tissue	117	2.1	3.2	<b>3.6</b>	0.21	0.37	104	1.5	2.6	<b>2.9</b>	0.21	0.31	C47+C49
Breast	16	0.3	0.4	<b>0.6</b>	0.04	0.07	1309	19.4	33.3	<b>38.0</b>	2.89	4.30	C50
Vulva							28	0.4	0.7	<b>0.8</b>	0.03	0.10	C51
Vagina							15	0.2	0.4	<b>0.5</b>	0.03	0.05	C52
Cervix uteri							728	10.8	18.5	<b>20.2</b>	1.51	2.24	C53
Corpus uteri							164	2.4	4.2	<b>5.0</b>	0.34	0.61	C54
Uterus unspecified							42	0.6	1.1	<b>1.0</b>	0.06	0.08	C55
Ovary							280	4.1	7.1	<b>7.9</b>	0.58	0.85	C56
Other female genital organs							2	0.0	0.1	<b>0.1</b>	0.01	0.01	C57
Placenta							7	0.1	0.2	<b>0.2</b>	0.01	0.01	C58
Penis	18	0.3	0.5	<b>0.6</b>	0.03	0.06							C60
Prostate	1550	28.4	42.3	<b>54.2</b>	1.85	6.81							C61
Testis	199	3.7	5.4	<b>4.9</b>	0.35	0.37							C62
Other male genital organs	9	0.2	0.2	<b>0.3</b>	0.02	0.03							C63
Kidney	119	2.2	3.2	<b>4.3</b>	0.26	0.50	98	1.5	2.5	<b>3.0</b>	0.20	0.37	C64
Renal pelvis	2	0.0	0.1	<b>0.1</b>	0.00	0.01	1	0.0	0.0	<b>0.0</b>	0.01	0.01	C65
Ureter	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C66
Bladder	158	2.9	4.3	<b>5.4</b>	0.22	0.62	80	1.2	2.0	<b>2.2</b>	0.16	0.25	C67
Other urinary organs	0	0.0	0.0	<b>0.0</b>	0.00	0.00	3	0.0	0.1	<b>0.1</b>	0.00	0.00	C68
Eye	36	0.7	1.0	<b>1.2</b>	0.05	0.12	33	0.5	0.8	<b>0.9</b>	0.04	0.09	C69
Brain, nervous system	141	2.6	3.8	<b>4.3</b>	0.30	0.43	142	2.1	3.6	<b>3.9</b>	0.27	0.35	C70-72
Thyroid	122	2.2	3.3	<b>3.9</b>	0.28	0.41	654	9.7	16.6	<b>17.6</b>	1.39	1.80	C73
Adrenal gland	4	0.1	0.1	<b>0.1</b>	0.01	0.01	8	0.1	0.2	<b>0.2</b>	0.02	0.02	C74
Other endocrine	2	0.0	0.1	<b>0.0</b>	0.00	0.00	2	0.0	0.1	<b>0.0</b>	0.00	0.00	C75
Hodgkin lymphoma	49	0.9	1.3	<b>1.5</b>	0.12	0.14	19	0.3	0.5	<b>0.5</b>	0.03	0.03	C81
Non-Hodgkin lymphoma	358	6.6	9.8	<b>11.7</b>	0.70	1.32	341	5.0	8.7	<b>9.5</b>	0.57	1.03	C82-85,C96
Immunoproliferative diseases	0	0.0	0.0	<b>0.0</b>	0.00	0.00	0	0.0	0.0	<b>0.0</b>	0.00	0.00	C88
Multiple myeloma	88	1.6	2.4	<b>3.0</b>	0.19	0.32	57	0.8	1.4	<b>1.8</b>	0.10	0.25	C90
Lymphoid leukaemia	131	2.4	3.6	<b>3.7</b>	0.20	0.26	148	2.2	3.8	<b>4.1</b>	0.23	0.33	C91
Myeloid leukaemia	86	1.6	2.3	<b>2.6</b>	0.15	0.22	99	1.5	2.5	<b>2.6</b>	0.15	0.25	C92-94
Leukaemia unspecified	22	0.4	0.6	<b>0.7</b>	0.05	0.08	17	0.3	0.4	<b>0.4</b>	0.03	0.05	C95
Myeloproliferative disorders	0	0.0	0.0	<b>0.0</b>	0.00	0.00	4	0.1	0.1	<b>0.1</b>	0.00	0.00	MPD
Myelodysplastic syndromes	8	0.1	0.2	<b>0.2</b>	0.01	0.01	7	0.1	0.2	<b>0.2</b>	0.01	0.03	MDS
Other and unspecified	162	3.0	4.4	<b>5.6</b>	0.28	0.69	244	3.6	6.2	<b>6.7</b>	0.34	0.79	O&U
All sites	6652		181.4	<b>222.1</b>	10.59	25.34	8059		204.8	<b>221.9</b>	13.71	24.30	ALL
All sites but C44	5452	100.0	148.7	<b>181.2</b>	8.59	20.50	6756	100.0	171.7	<b>187.5</b>	12.08	20.63	ALLbC44

§Includes 83 cases of unknown age

§Includes 96 cases of unknown age

# Ecuador, Quito (2003-2007)

Annual incidence per 100,000 by age group - Male

S I T E	ALL AGE AGES	UNK	0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75+	CRUDE RATE	(%)	CUM 0-64	CUM 0-74	ASR (W)	ICD (10th)
Lip	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.00	0.00	<b>0.0</b>	C00
Tongue	13	0	-	-	-	-	-	-	-	0.4	-	-	0.7	0.9	1.2	4.7	-	7.3	0.4	0.2	0.02	0.04	<b>0.4</b>	C01-02
Mouth	8	0	-	-	-	-	-	-	-	-	-	-	2.0	0.9	1.2	1.6	-	2.4	0.2	0.1	0.02	0.03	<b>0.3</b>	C03-06
Salivary glands	17	0	-	-	-	-	0.3	-	-	0.4	-	0.6	0.7	1.9	2.5	-	1.9	9.8	0.5	0.3	0.03	0.04	<b>0.5</b>	C07-08
Tonsil	6	0	-	-	-	-	-	-	-	-	0.4	-	-	1.9	-	3.2	1.9	-	0.2	0.1	0.01	0.04	<b>0.2</b>	C09
Other oropharynx	1	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	0.0	0.0	0.00	0.00	<b>0.0</b>	C10
Nasopharynx	6	0	-	-	-	-	-	-	-	-	-	-	0.7	-	1.2	-	3.8	2.4	0.2	0.1	0.01	0.03	<b>0.2</b>	C11
Hypopharynx	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.00	0.00	<b>0.0</b>	C12-13
Pharynx unspecified	5	0	-	-	-	0.3	-	-	-	-	-	-	-	1.9	-	-	-	2.4	0.1	0.1	0.01	0.01	<b>0.1</b>	C14
Oesophagus	71	2	-	-	-	-	-	0.3	-	0.4	0.4	1.7	1.3	5.6	3.7	7.9	18.8	45.2	1.9	1.3	0.07	0.21	<b>2.2</b>	C15
Stomach	712	8	-	-	-	-	0.3	1.2	3.1	5.1	12.9	20.7	34.2	55.1	86.1	120.1	167.0	324.8	19.4	13.1	1.11	2.56	<b>23.7</b>	C16
Small intestine	25	0	-	-	-	-	-	0.3	-	-	0.9	1.1	2.7	3.7	1.2	4.7	1.9	8.5	0.7	0.5	0.05	0.08	<b>0.8</b>	C17
Colon	223	1	-	-	-	0.5	0.8	1.2	1.4	1.6	7.1	6.2	9.4	21.5	19.7	34.8	54.4	90.4	6.1	4.1	0.35	0.80	<b>7.3</b>	C18
Rectum	112	1	-	-	-	-	-	0.6	0.3	2.0	2.2	3.9	4.7	12.1	19.7	26.9	16.9	35.4	3.1	2.1	0.23	0.45	<b>4.0</b>	C19-20
Anus	5	0	-	-	-	-	-	-	-	-	-	-	0.7	-	-	1.6	1.9	2.4	0.1	0.1	0.00	0.02	<b>0.2</b>	C21
Liver	140	0	1.1	0.5	0.6	0.3	-	-	0.3	0.8	0.4	2.2	6.7	9.3	18.5	33.2	35.7	58.6	3.8	2.6	0.20	0.55	<b>4.8</b>	C22
Gallbladder etc.	129	1	-	-	-	-	-	0.3	0.3	-	1.3	4.5	8.1	9.3	25.8	31.6	20.6	50.1	3.5	2.4	0.25	0.51	<b>4.6</b>	C23-24
Pancreas	90	0	-	-	-	-	-	0.3	-	1.2	0.4	2.8	4.7	5.6	9.8	20.5	28.1	37.9	2.5	1.7	0.12	0.37	<b>3.1</b>	C25
Nose, sinuses etc.	15	0	-	-	0.3	-	-	0.6	-	-	0.9	2.2	-	0.9	1.2	1.6	3.8	1.2	0.4	0.3	0.03	0.06	<b>0.5</b>	C30-31
Larynx	35	0	-	-	-	-	-	-	-	-	-	1.1	3.4	-	7.4	4.7	11.3	15.9	1.0	0.6	0.06	0.14	<b>1.2</b>	C32
Trachea, bronchus and lung	241	0	-	-	-	-	0.3	1.2	0.3	3.5	2.2	3.9	10.7	20.5	30.8	53.7	78.8	91.6	6.6	4.4	0.37	1.03	<b>8.3</b>	C33-34
Other thoracic organs	14	0	0.3	-	-	0.5	0.5	0.3	-	-	0.4	-	0.7	-	1.2	1.6	1.9	3.7	0.4	0.3	0.02	0.04	<b>0.4</b>	C37-38
Bone	44	0	-	0.5	2.8	2.2	0.8	0.6	1.4	0.8	0.4	0.6	2.7	0.9	1.2	1.6	7.5	-	1.2	0.8	0.07	0.12	<b>1.2</b>	C40-41
Melanoma of skin	105	3	0.3	-	-	-	-	0.9	1.0	-	2.7	3.9	5.4	5.6	12.3	17.4	33.8	35.4	2.9	1.9	0.17	0.43	<b>3.6</b>	C43
Other skin	1200	42	-	0.3	0.8	1.1	2.6	4.3	6.9	5.5	21.4	26.3	58.4	112.0	146.4	222.9	326.5	434.7	32.7	-	2.00	4.85	<b>41.0</b>	C44
Mesothelioma	9	0	-	-	-	-	-	0.3	-	-	-	0.6	0.7	0.9	-	1.6	3.8	2.4	0.2	0.2	0.01	0.04	<b>0.3</b>	C45
Kaposi sarcoma	29	0	-	-	-	0.3	0.5	0.9	0.7	2.4	1.3	0.6	1.3	1.9	1.2	1.6	-	6.1	0.8	0.5	0.06	0.06	<b>0.8</b>	C46
Connective and soft tissue	117	0	0.5	1.9	1.1	1.1	2.3	2.1	1.4	2.4	3.6	7.8	6.7	2.8	7.4	14.2	18.8	17.1	3.2	2.1	0.21	0.37	<b>3.6</b>	C47+C49
Breast	16	0	-	-	-	-	-	-	-	0.4	0.4	1.7	1.3	1.9	2.5	1.6	3.8	2.4	0.4	0.3	0.04	0.07	<b>0.6</b>	C50
Penis	18	0	-	-	-	-	-	-	-	0.8	-	0.6	1.3	2.8	1.2	3.2	1.9	7.3	0.5	0.3	0.03	0.06	<b>0.6</b>	C60
Prostate	1550	13	-	-	-	-	-	-	-	0.4	0.9	5.0	30.9	105.4	223.9	380.9	602.3	759.6	42.3	28.4	1.85	6.81	<b>54.2</b>	C61
Testis	199	3	0.3	0.3	0.3	5.4	8.5	18.4	9.3	7.1	6.7	5.6	-	2.8	4.9	3.2	-	1.2	5.4	3.7	0.35	0.37	<b>4.9</b>	C62
Other male genital organs	9	0	-	-	-	-	0.5	-	-	-	0.9	-	0.7	-	2.5	1.6	-	1.2	0.2	0.2	0.02	0.03	<b>0.3</b>	C63
Kidney	119	2	1.4	0.8	-	0.3	-	0.9	0.7	0.4	1.8	3.9	6.0	17.7	17.2	28.5	18.8	25.6	3.2	2.2	0.26	0.50	<b>4.3</b>	C64
Renal pelvis	2	0	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	1.9	-	0.1	0.0	0.00	0.01	<b>0.1</b>	C65
Ureter	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.00	0.00	<b>0.0</b>	C66
Bladder	158	1	-	-	-	-	-	0.3	0.7	2.0	0.9	1.7	3.4	11.2	24.6	31.6	46.9	75.7	4.3	2.9	0.22	0.62	<b>5.4</b>	C67
Other urinary organs	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.00	0.00	<b>0.0</b>	C68
Eye	36	0	2.2	-	0.3	0.3	0.3	-	0.3	0.4	0.4	1.1	0.7	-	3.7	3.2	11.3	9.8	1.0	0.7	0.05	0.12	<b>1.2</b>	C69
Brain, nervous system	141	0	1.9	1.6	1.9	1.9	1.5	2.8	3.5	3.5	6.2	6.2	6.7	10.3	12.3	6.3	18.8	12.2	3.8	2.6	0.30	0.43	<b>4.3</b>	C70-72
Thyroid	122	1	-	-	-	0.8	0.8	3.4	3.5	3.1	4.9	7.8	12.7	7.5	11.1	12.6	13.1	12.2	3.3	2.2	0.28	0.41	<b>3.9</b>	C73
Adrenal gland	4	1	0.3	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.01	0.01	<b>0.1</b>	C74
Other endocrine	2	0	-	-	0.3	0.3	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.0	0.00	0.00	<b>0.0</b>	C75
Hodgkin lymphoma	49	0	0.3	0.8	0.6	0.5	0.8	0.9	0.7	2.4	2.2	1.7	3.4	5.6	3.7	1.6	3.8	2.4	1.3	0.9	0.12	0.14	<b>1.5</b>	C81
Non-Hodgkin lymphoma	358	4	1.6	1.4	2.8	2.2	3.1	1.8	8.6	6.7	7.1	15.7	19.5	28.0	40.6	56.9	65.7	70.8	9.8	6.6	0.70	1.32	<b>11.7</b>	C82-85,C96
Immunoproliferative diseases	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.00	0.00	<b>0.0</b>	C88
Multiple myeloma	88	0	-	-	-	-	-	-	0.3	1.2	2.7	2.8	7.4	12.1	11.1	15.8	11.3	29.3	2.4	1.6	0.19	0.32	<b>3.0</b>	C90
Lymphoid leukaemia	131	0	6.5	3.8	3.3	5.6	3.3	1.2	1.4	1.6	1.8	1.1	0.7	3.7	4.9	6.3	7.5	14.7	3.6	2.4	0.20	0.26	<b>3.7</b>	C91
Myeloid leukaemia	86	0	0.8	0.3	0.8	1.3	1.5	1.2	1.4	1.2	1.3	5.6	5.4	3.7	4.9	11.1	3.8	23.2	2.3	1.6	0.15	0.22	<b>2.6</b>	C92-94
Leukaemia unspecified	22	0	0.5	0.5	-	-	0.5	0.3	0.7	-	0.4	-	0.7	0.9	4.9	-	5.6	3.7	0.6	0.4	0.05	0.08	<b>0.7</b>	C95
Myeloproliferative disorders	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.00	0.00	<b>0.0</b>	MPD
Myelodysplastic syndromes	8	0	0.3	-	-	-	-	0.3	-	-	0.4	-	-	-	-	-	1.9	4.9	0.2	0.1	0.01	0.01	<b>0.2</b>	MDS
Other and unspecified	162	0	0.3	-	-	0.3	0.8	0.6	2.4	1.2	2.7	2.8	6.7	13.1	25.8	31.6	48.8	52.5	4.4	3.0	0.28	0.69	<b>5.6</b>	O&U
All sites	6652	83	18.5	12.7	15.7	25.0	30.3	47.9	50.8	58.6	101.1	154.6	273.7	502.0	799.7	1207.7	1705.6	2395.9	181.4	-	10.59	25.34	<b>222.1</b>	ALL
All sites but C44	5452	41	18.5	12.4	14.9	23.9	27.8	43.6	43.9	53.1	79.7	128.3	215.4	390.0	653.3	984.8	1379.1	1961.2	148.7	100.0	8.59	20.50	<b>181.2</b>	ALLbC44

